


+49 6239 - 99 78 20
office@arcan.biz



HONEYCOMB CONCRETE

proper waterproofing of a concrete disturbance



One of the causes of water-permeable concrete are defects in the form of gravel pockets, which are places where the concrete has not been properly compacted. At these points, water can flow through the concrete. The injection of these leaks is best done with non foaming injection materials. Waterstop foam pressed into such a disturbed zone will not provide a reliable waterproofing result, the foam structure cannot build up properly. That is why we use non-foaming materials that react homogeneously.

HONEYCOMB CONCRETE

PRODUCT NAME HydroBloc PU 500	TECHNOLOGY PUR Resin 1 Component Pump	APPLICATION Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Flexible Filling, Sealing Foam Follow Up Waterproofing Injection	BENEFIT Swellable Elastic Self-Repair Effect
PRODUCT NAME HydroBloc PU 506	TECHNOLOGY PUR Resin 1 Component Pump	APPLICATION Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Foam Follow Up Waterproofing Injection	BENEFIT Elastic Low Viscous Excellent Penetration Excellent Adhesion

PRODUCT NAME HydroBloc PU 507 E	TECHNOLOGY PUR Resin 1 Component Pump	APPLICATION Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Foam Follow Up Flexible Filling, Sealing	BENEFIT Elastic Low Viscous 2 in 1 Resin
PRODUCT NAME HydroBloc AC 555	TECHNOLOGY Acrylate Resin 1 Comp. Pump	APPLICATION Crack Injection Facade Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Soil, Rock Stabilization Waterproofing Injection Hollow Screed, Tiles	BENEFIT Low Temperature Use <0°C Contact Grouting Cleaning With Water
PRODUCT NAME HydroBloc Integral 575	TECHNOLOGY PUR Resin 1 Component Pump	APPLICATION Crack Injection Canal, Shaft Repair Feedthrough Sealing Foam Follow Up Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Waterproofing Injection Flexible Filling, Sealing	BENEFIT Integral Technology 1 Comp. Resin Ready To Use Swellable Elastic 100% Solid Self Repair Effect
PRODUCT NAME HydroBloc Injekt 583	TECHNOLOGY Acrylate Resin 1 Component Pump	APPLICATION Crack Injection Facade Injection Canal, Shaft Repair Feedthrough Sealing Foam Follow Up Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Waterproofing Injection	BENEFIT Excellent Penetration Low Temperature Use <0°C Swellable Elastic Corrosion Prevention Cleaning With Water Non Foaming Solid Resin-No Gel Suitable For Humidity
PRODUCT NAME HydroBloc 600 Integral	TECHNOLOGY PUR Resin 1 Comp. Pump	APPLICATION Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Flexible Filling, Sealing	BENEFIT Integral Technology 1 Component Resin Ready To Use Excellent Adhesion Flexible Hydroactive Self Injection

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
HydroBloc 620 Integral	PUR Foam 1 Comp. Pump	Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube injection Waterproofing Injection	INTEGRAL Technology 1 Component Resin Ready To Use Auto Injection Hydroactive Excellent Adhesion

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox EP 800	Epoxy Resin 1 Component Pump	Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Concrete Repair	Low Viscous Super Penetration Solvent Free Damp Surfaces Adhesion To Metal

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 810nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Potlife 5h 100% Reactive

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 811nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Potlife 2h For Humidity

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 812nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Potlife 1,5h

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 814nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Pot Life 5h Corrosion Protection

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox EP 840	Epoxy Resin 1 Component Pump	Working Joint Sealing Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening	Low Viscous Solvent Free Super Penetration

ARCAN GmbH
Kleinniedesheimer Str. 19
D-67240 Bobenheim-Roxheim
Germany

 +49 6239 - 99 78 20
 office@arcan.biz
 arcan.biz

