



+49 6239 - 99 78 20  
office@arcan.biz



# JOINT, CRACK SEALING

contact grouting or flexible filling



Depending on the type of crack or joint the choice to be made is between rigid and elastic materials.

Dynamic cracks and joints must be closed with a elastic and flexible material which allows the future movement.

Contact grouting is suitable for static cracks and often used for the needling with screed brackets.




## JOINT, CRACK SEALING

<b>PRODUCT NAME</b> Screed Brackets 075	<b>TECHNOLOGY</b> Concret And Screed Repair	<b>APPLICATION</b> Cracked Screed Repair Concrete Crack Repair	<b>BENEFIT</b> Easy Handling
<b>PRODUCT NAME</b> Durox Carbogrid 160	<b>TECHNOLOGY</b> Carbon Fibre Grid	<b>APPLICATION</b> Adhesive Reinforcement Cracked Surface Repair Shock And Vibration Absorption Earthquake Protection	<b>BENEFIT</b> Different Weight And Mesh Sizes Available
<b>PRODUCT NAME</b> Durox Carbosheet 162	<b>TECHNOLOGY</b> Carbon Lamella	<b>APPLICATION</b> Adhesive Reinforcement Cracked Surface Repair Shock And Vibration Absorption Earthquake Protection	<b>BENEFIT</b> For Concrete For Masonry For Metal For Wood

PRODUCT NAME Durox Carbomesh 163	TECHNOLOGY Carbon Mesh	APPLICATION Adhesive Reinforcement Cracked Surface Repair Shock And Vibration Absorption Earthquake Protection	BENEFIT Cling To All Shapes High °C Resistance Electrical And Thermal Conductivity Fatigue Resistant High Tensile Strength
PRODUCT NAME HydroFlex Dichtband 275	TECHNOLOGY Sealing Tape (EVA)	APPLICATION Working Joint Sealing Construction Element Dilatation Joint Sealing Crack Sealing Fillet Sealing	BENEFIT Flexible Elastic For Humid Surfaces 4 Bar Waterproof Root Resistant
PRODUCT NAME HydroFlex Dichtband 276	TECHNOLOGY Sealing Tape (EPDM)	APPLICATION Working Joint Sealing Construction Element Dilatation Joint Sealing Crack Sealing Fillet Sealing	BENEFIT Flexible Elastic For Humid Surfaces < 5°C Suitable
PRODUCT NAME Rokryl 326	TECHNOLOGY PMMA Resin Casting Resin Flexible UV Resistant	APPLICATION Joint, Crack Sealing Working Joints Dilatation Joints On Concrete On Screed	BENEFIT Self-Levelling Elastic UV Resistant No Yellowing Super Adhesion Cures < 0°C Fast Curing
PRODUCT NAME Rokryl 326-Thix	TECHNOLOGY PMMA Resin Casting Resin Flexible UV Resistant	APPLICATION Joint, Crack Sealing Working Joints Dilatation Joints On Concrete On Screed	BENEFIT Thickened – Thixotropic Elastic UV Resistant No Yellowing Super Adhesion Cures < 0°C Fast Curing
PRODUCT NAME Rokryl Fuge 340 NV	TECHNOLOGY Acrylate Resin Joint Filler Self-Levelling Rigid	APPLICATION Joints, Crack Sealing Contact Grouting For Natural Stone For Artificial Stone For Concrete	BENEFIT Self-Levelling Build In Primer System UV Resistant No Yellowing White Cured After 10 Minutes Rigid
PRODUCT NAME HYBRIDUR 357	TECHNOLOGY Hybrid Mastic Non Swellable	APPLICATION Joint, Crack Sealing Working Joint Sealing Dilatation Joint Sealing Flexible Filling, Sealing	BENEFIT Easy Handling No Primer Required Humid Surfaces Stable

<b>PRODUCT NAME</b> DuroFlex 676	<b>TECHNOLOGY</b> Casting Resin Flexible UV Resistant PUR	<b>APPLICATION</b> Joint And Crack Sealing In Natural stones In Concrete In Screed In Asphalt	<b>BENEFIT</b> UV Stable No Yellowing Flexible High Strength Super Adhesion
<b>PRODUCT NAME</b> Silipox Baukleber 826	<b>TECHNOLOGY</b> Epoxy Adhesiv	<b>APPLICATION</b> Installation HydroFlex 275 Tape – EVA Working Joint Sealing Joint, Crack Sealing Adesives	<b>BENEFIT</b> Wet Surfaces Easy To Handle
<b>PRODUCT NAME</b> Silox Bauharz 830	<b>TECHNOLOGY</b> Building Resin Casting Resin Epoxy Resin	<b>APPLICATION</b> Repair Mortar Glueing Natural Stones Bonding Bridge Polymer Concrete Joint Mortar Adhesives	<b>BENEFIT</b> For Wet Conditions Bonding Bridge For Coatings Adhesion On Metal Clear And Shiny Surface Elastified Resin
<b>PRODUCT NAME</b> Silox Bauharz 831	<b>TECHNOLOGY</b> Building Resin Casting Resin Epoxy Resin Fast Reaction	<b>APPLICATION</b> Repair Mortar Glueing Natural Stones Bonding Bridge Polymer Concrete Joint Mortar Adhesives	<b>BENEFIT</b> For Wet Conditions Bonding Bridge For Coatings Adhesion On Metal Clear And Shiny Surface Elastified Resin

ARCAN GmbH  
 Kleinniedesheimer Str. 19  
 D-67240 Bobenheim-Roxheim  
 Germany

 +49 6239 - 99 78 20  
 office@arcan.biz  
 arcan.biz

