



+49 6239 - 99 78 20
office@arcan.biz



COATING - PERMEABLE

impregnation, sealant and coating for surface protection



Permeable coatings, impregnations and sealant are suitable for all surface conditions. In this case conditions mean: dry, wet, permeable or non-permeable.

The Silox EPW system consists of coatings, repair compounds and primers, all perfectly coordinated and suitable for humidity. The perfect protection and repair of walls and floors.

The topcoats, sealants and impregnations protect concrete, screed and natural or artificial stones against abrasion, dirt, grease and oil.

All systems listed in the permeable division are suitable for vapour tight surfaces too.

COATING - PERMEABLE

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
GeoRock 181	Geomortar Reprofiling Mortar	Repair Mortar Concrete Repair Levelling Wear Protection Adhesive Waterproof Coating	Natural 100% Cement Free Early Strain Waterproof Rigid Pressure Resistant For Humid Surfaces

PRODUCT NAME

Rokryl Rapid 332

TECHNOLOGY

Acrylate Mortar

Repair Mortar

Casting Mortar

Concrete

APPLICATION

Concrete Repair

Repair Mortar

Polymer Concrete

For Industrial Floors

For Landing Strips

For Traffic Areas

Casting Resin

BENEFIT

Fast Setting

Super Adhesion

Low Temperature Use <5°C

PRODUCT NAME

Rokryl Rapid 332-Thix

TECHNOLOGY

Acrylate Mortar

Repair Mortar

Casting Mortar

Concrete

APPLICATION

Concrete Repair

Repair Mortar

For Industrial Floors

For Landing Strips

For Traffic Areas

Stable For Vertical Surfaces

BENEFIT

Stable, Thixotropic For Slopes

Fast Setting

Super Adhesion

Low Temperature use <5°C

PRODUCT NAME

DuroFlex-678 Pro

TECHNOLOGY

Hybrid TopCoat

UV Stable

Flexible

2-Component

APPLICATION

Coating – Permeable

Stain Protection

Abrasion resistant

UV Protection for coatings

BENEFIT

Active Uv Protection For Coatings

Matt Finish

Transparent

PRODUCT NAME

PowerSeal 744

TECHNOLOGY

High Performance Protection

Impregnation

APPLICATION

Coating- Permeable

Stain Protection

Oil Protection

Grease Protection

On Concrete

On Natural Stone

On Artificial Stone

BENEFIT

No Film Formation

Stain Protection

Not Visible

UV Resistant

PRODUCT NAME

HydroBloc WPS 750

TECHNOLOGY

Restoration Paint

APPLICATION

Coating – Permeable

Special Paint

Application On Wet Walls

Waterproofing

Dehumidification

BENEFIT

Dehumidifies

Waterproofing

Anti-Efflorescence

Anti-Water Spot

Colouring Possible

PRODUCT NAME

BlocSil 790

TECHNOLOGY

Clear Shiny Sealing

APPLICATION

Coating – Permeable

Abrasion Protection

Stain Protection

Protection Against Dust Creation

Protection Against De-Icing Salt

Protection For Epoxy Coatings

BENEFIT

Clear

Shiny

No Yellowing

Permeable

1-Component

Solvent Free

Film Formation

PRODUCT NAME

BlocSil 791ASi

TECHNOLOGYClear Shiny Sealing
Anti Slip Finish**APPLICATION**Coating – Permeable
Stain Protection
BlocSil 790 With Anti Slip Effect**BENEFIT**Anti Slip Finish
Clear
Shiny
No Yellowing
Permeable
1-Component
Solvent Free
Film Formation**PRODUCT NAME**

PowerSeal 795

TECHNOLOGYClear Shiny Sealing
Super Tough**APPLICATION**Coating – Permeable
Abrasion Protection
Stain Protection
Protection Against Dust Creation
Protection Against De-Icing Salt
Protection For Epoxy Coatings**BENEFIT**Extreme Tough
Chemical Resistant
Clear
Shiny
No Yellowing
Permeable
1-Component
Solvent Free
Film Formation**PRODUCT NAME**

Silox EPW 857

TECHNOLOGYEpoxid-Beschichtung
Durchlässig**APPLICATION**Beschichtung – Durchlässig
Oberflächenschutz
Dekorative Beschichtung
Für Lagerhallen
Für Garagen
Für Keller**BENEFIT**For Wet Surfaces
Easy Handling
Abrasion Resistant**PRODUCT NAME**

Silox EPW 858

TECHNOLOGYEpoxy Coating
Permeable
Self-Levelling**APPLICATION**Coating – Permeable
Protective Coating
Decorative Coating
For Industrial Floors
For Warehouses
For Laboratories**BENEFIT**For Wet Surfaces
Self Levelling
Silk Matt**PRODUCT NAME**

Silox 860 D

TECHNOLOGY

Epoxy Repair Compound Wall

APPLICATIONRepair Mortar
Waterproofing
Coating**BENEFIT**No Primer Necessary
Permeable
Adhesion On Wet Surfaces
Thixotropic For Wall Application**PRODUCT NAME**

Silox 861 D

TECHNOLOGY

Epoxy Repair Compound Floor

APPLICATIONRepair Mortar
Waterproofing
Coating**BENEFIT**No Primer Necessary
Permeable
Adhesion On Wet Surfaces

PRODUCT NAME

Cembond EPW 863

TECHNOLOGY

Abrasion Proof Sealing Membrane
Manual
Spray

APPLICATION

Coating – Permeable
Waterproof Coating
Wall, Floor Sealing
Repair Coating
Adhesive Reinforcement
Concrete Repair
Adhesive Glue

BENEFIT

7 Bar Waterproof
Permeable
No Primer
Interlayer Adhesion Even After Years
Repair Coating
Adhesion On Metal
Bonding Bridge New-Old Concrete

PRODUCT NAME

DuroFlex M 900

TECHNOLOGY

Liquid Latex Membrane

APPLICATION

Coating – Permeable
Waterproof Coating
For Damp Room
For Wet Room
For Terrace
For Balcony
For Catch Basin

BENEFIT

Ready To Use
Crack Bridging
1-Component
Damp Surface
Concrete Protection
Waterproofing

PRODUCT NAME

Silox 901-MX

TECHNOLOGY

Liquid Latex Membrane

APPLICATION

Coating- Permeable
Chemical Strained Surfaces
Gas Room Of Biogas Plants
Silage, Container Sealing
Waterproof Coating

BENEFIT

Crack Bridging
Damp Surface
Concrete Protection
Chemical Protection
Waterproofing

PRODUCT NAME

Silox 903-DF

TECHNOLOGY

Liquid Latex Membrane
UV Protected

APPLICATION

Coating – Permeable
Roof Sealing
Facade waterproofing
Wind Mill Foundation Sealing

BENEFIT

Crack Bridging
Damp Surface
Concrete Protection
Waterproofing
Weatherproof

PRODUCT NAME

Floor Paint 908

TECHNOLOGY

Colored Sealing
1-Component
UV Resistant
Glossy

APPLICATION

Coating – Permeable
Abrasion Protection
Stain Protection
Protection Against Dust Creation
Protection Against De-Icing Salt

BENEFIT

Colored
No Yellowing
Permeable
1-Component
Solvent Free
Film Formation
Anti-Slip Finish

PRODUCT NAME

Baudicht 914

TECHNOLOGY

Polymer Waterproofing
Spray
Manual

APPLICATION

Coating Permeable
Waterproof Coating
New Building Waterproofing
Repair Waterproofing
Foundation Sealing
Wall Sealing
Floor Sealing

BENEFIT

Crack Bridging
Damp Surfaces
Concrete Protection
Super Flexible
Universal Waterproofing

PRODUCT NAME

Cembond M-945

TECHNOLOGY

Sealing Slurry

Manual

Screw Pump

APPLICATION

Waterproof Coating

Coating – Permeable

Wall, Floor Sealing

BENEFIT

Cembond Polymer Technology

Sulphate Resistant

In & Outside

Permeable

Excellent Durability

Rigid

PRODUCT NAME

Cembond M-947 Flex

TECHNOLOGY

Flexible Sealing Slurry

Manual

Spray

APPLICATION

Waterproof Coating

Coating – Permeable

Wall, Floor Sealing

BENEFIT

Cembond Polymer Technology

Sulphate Resistant

In & Outside

Permeable

Excellent Durability

Flexible

PRODUCT NAMECembond 967 Restoration
Plaster**TECHNOLOGY**

Restoration Plaster

APPLICATION

Coating – Permeable

Restoration Plaster

Dehumidification

Desaltination

BENEFIT

Dehumidifies

Desalinates

PRODUCT NAME

SiliBond 970

TECHNOLOGY

Reactive Silicate

Crystalline Technology

APPLICATION

Surface Strengthening

Coating – Permeable

Protective Layer

Concrete Stabilisation

Concrete Protection

Curing

Pore Filling

BENEFIT

Concrete Hardening

Concrete Stabilisation

Stain Protection

No Film Formation

Concrete Looks Like Concrete

PRODUCT NAME

SiliBond 971

TECHNOLOGY

Reactive Silicate

Crystalline Technology

Hydrophobic

APPLICATION

Surface Strengthening

Coating – Permeable

Protective Layer

Surface Hydrophobisation

Concrete Stabilisation

Concrete Protection

Curing

Pore filling

BENEFIT

Concrete Hardening

Concrete Stabilisation

Stain Protection

No Film Formation

Concrete Looks Like Concrete

Hydrophobisation

PRODUCT NAME

Calsol 1021

TECHNOLOGY

Nano Disperse Chalk Paint

Manual

Spray

APPLICATION

Special Paint

Indoor & Outdoor Paint

Dehumidification

Ecological Living

Coating- Permeable

BENEFIT

Healthy Climate

No Germs

No Mold

Spores

Emission Free

Regulates Humidity

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Cembond MF 1041	Water Repellent Paint Dirt Repellent Paint Manual Spray	Special Paint Indoor & Outdoor Paint Protective Paint Dehumidification Paint Water Repellent Paint Dirt Repellent Paint Coating – Permeable	Water Repellent Dirt Repellent Allergen-Free No Solvents Dehumidification Anti Mould Effect

ARCAN GmbH
 Kleinniedesheimer Str. 19
 D-67240 Bobenheim-Roxheim
 Germany

 +49 6239 - 99 78 20
 office@arcan.biz
 arcan.biz

