


+49 6239 - 99 78 20
office@arcan.biz



HONEYCOMB CONCRETE

proper waterproofing of a concrete disturbance



One of the causes of water-permeable concrete are defects in the form of gravel pockets, which are places where the concrete has not been properly compacted. At these points, water can flow through the concrete. The injection of these leaks is best done with non foaming injection materials. Waterstop foam pressed into such a disturbed zone will not provide a reliable waterproofing result, the foam structure cannot build up properly. That is why we use non-foaming materials that react homogeneously.

HONEYCOMB CONCRETE

PRODUCT NAME HydroBloc PU 500	TECHNOLOGY PUR Resin 1 Component Pump	APPLICATION Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Flexible Filling, Sealing Foam Follow Up Waterproofing Injection	BENEFIT Swellable Elastic Self-Repair Effect
PRODUCT NAME HydroBloc PU 506	TECHNOLOGY PUR Resin 1 Component Pump	APPLICATION Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Waterstop Foam Follow Up Waterproofing Injection	BENEFIT Elastic Low Viscous Excellent Penetration Excellent Adhesion

PRODUCT NAME

HydroBloc PU 507 E

TECHNOLOGY

PUR Resin

1 Component Pump

APPLICATION

Crack Injection

Working Joint Sealing

Honeycomb Concrete Injection

Injection Tube Injection

Waterstop

Foam Follow Up

Flexible Filling, Sealing

BENEFIT

Elastic

Low Viscous

2 in 1 Resin

PRODUCT NAME

HydroBloc AC 555

TECHNOLOGY

Acrylate Resin

1 Comp. Pump

APPLICATION

Crack Injection

Facade Injection

Working Joint Sealing

Honeycomb Concrete Injection

Injection Tube Injection

Contact Grouting

Internal Strengthening

Soil, Rock Stabilization

Waterproofing Injection

Hollow Screed, Tiles

BENEFIT

Low Temperature Use <0°C

Contact Grouting

Cleaning With Water

PRODUCT NAME

HydroBloc Integral 575

TECHNOLOGY

PUR Resin

1 Component Pump

APPLICATION

Crack Injection

Canal, Shaft Repair

Feedthrough Sealing

Foam Follow Up

Working Joint Sealing

Honeycomb Concrete Injection

Injection Tube Injection

Waterstop

Waterproofing Injection

Flexible Filling, Sealing

BENEFIT

Integral Technology

1 Comp. Resin

Ready To Use

Swellable

Elastic

100% Solid

Self Repair Effect

PRODUCT NAME

HydroBloc Injekt 583

TECHNOLOGY

Acrylate Resin

1 Component Pump

APPLICATION

Crack Injection

Facade Injection

Canal, Shaft Repair

Feedthrough Sealing

Foam Follow Up

Working Joint Sealing

Honeycomb Concrete Injection

Injection Tube Injection

Waterstop

Waterproofing Injection

BENEFIT

Excellent Penetration

Low Temperature Use <0°C

Swellable

Elastic

Corrosion Prevention

Cleaning With Water

Non Foaming

Solid Resin-No Gel

Suitable For Humidity

PRODUCT NAME

HydroBloc 600 Integral

TECHNOLOGY

PUR Resin

1 Comp. Pump

APPLICATION

Crack Injection

Working Joint Sealing

Honeycomb Concrete Injection

Injection Tube Injection

Flexible Filling, Sealing

BENEFIT

Integral Technology

1 Component Resin

Ready To Use

Excellent Adhesion

Flexible

Hydroactive Self Injection

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
HydroBloc 620 Integral	PUR Foam 1 Comp. Pump	Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube injection Waterproofing Injection	INTEGRAL Technology 1 Component Resin Ready To Use Auto Injection Hydroactive Excellent Adhesion

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox EP 800	Epoxy Resin 1 Component Pump	Crack Injection Working Joint Sealing Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Concrete Repair	Low Viscous Super Penetration Solvent Free Damp Surfaces Adhesion To Metal

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 810nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Potlife 5h 100% Reactive

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 811nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Potlife 2h For Humidity

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 812nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Potlife 1,5h

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox Injection 814nt	Epoxy Resin 1 Component Pump	Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening Hollow Screed, Tiles	Ultra Low Viscous Pot Life 5h Corrosion Protection

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox EP 840	Epoxy Resin 1 Component Pump	Working Joint Sealing Crack Injection Honeycomb Concrete Injection Injection Tube Injection Contact Grouting Internal Strengthening	Low Viscous Solvent Free Super Penetration

ARCAN GmbH
Kleinniedesheimer Str. 19
D-67240 Bobenheim-Roxheim
Germany

 +49 6239 - 99 78 20
 office@arcan.biz
 arcan.biz

