


+49 6239 - 99 78 20  
office@arcan.biz



## WATERPROOF COATING

slurry membranes, waterproof paint and liquid latex membranes



Waterproof coatings are slurry membranes; flexible and rigid waterproofing on walls and floors, for inside and outside use. They resist negative water pressure up to 7 bar.

Waterproof coatings are liquid latex membranes; they protect surfaces from water and other substances. Typical use is below the tiles in bathrooms, damp rooms, balconies and terraces. These types of crack bridging coatings are made for walls, floors and foundations. For outdoor use on garages, flat roofs and windmill foundations is available a uv stabilized Silox DF material. In chemical strained areas such as water basins or biogas plants Silox MX comes into action. The newest “member” in this product range is Baudicht 914, a super elastic membrane which combines the benefits of sealing slurries, sprayable membranes and bituminous coatings.

Waterproof coatings are paints; for wet walls, they prevent blooming, water spots, and delivery a beautiful surface, they are stand alone solutions or used after horizontal barrier treatments.

Waterproofing of wet walls and floors, are stand-alone solutions or post-treatment’s after waterproofing work. ARCAN sealing slurries made with Cembond Technology, seal surfaces against water penetration. Sealing slurries, provide permanent tightness for walls and floors.

Restoration plaster dehumidifies damp and salt-loaded masonry and is usually applied after horizontal barrier treatment.


Restoration paints such as the waterproof paint HydroBloc WPS 750 are made for the application on wet walls, indoor and outdoor.


## WATERPROOF COATING


PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
GeoRock 181	Geomortar Reprofiling Mortar	Repair Mortar Concrete Repair Levelling Wear Protection <b>Adhesive</b> Waterproof Coating	Natural 100% Cement Free Early Strain Waterproof Rigid Pressure Resistant For Humid Surfaces
PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Cembond EPW 863	Abrasion Proof Sealing Membrane Manual Spray	Coating – Permeable Waterproof Coating Wall, Floor Sealing Repair Coating Ahesive Reinforcement Concrete Repair Adhesive Glue	7 Bar Waterproof Permeable No Primer Interlayer Adhesion Even After Years Repair Coating Adhesion On Metal Bonding Bridge New-Old Concrete
PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
DuroFlex M 900	Liquid Latex Membrane	Coating – Permeable Waterproof Coating For Damp Room For Wet Room For Terrace Fory Balcony For Catch Basin	Ready To Use Crack Bridging 1-Component Damp Surface Concrete Protection Waterproofing
PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox 901-MX	Liquid Latex Membrane	Coating- Permeable Chemical Strained Surfaces Gas Room Of Biogas Plants Silage, Container Sealing Waterproof Coating	Crack Bridging Damp Surface Concrete Protection Chemical Protection Waterproofing
PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Silox 903-DF	Liquid Latex Membrane UV Protected	Coating – Permeable Roof Sealing Facade waterproofing Wind Mill Foundation Sealing	Crack Bridging Damp Surface Concrete Protection Waterproofing Weatherproof
PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Baudicht 914	Polymer Waterproofing Spray Manual	Coating Permeabele Waterproof Coating New Building Waterproofing Repair Waterproofing Foundation Sealing Wall Sealing Floor Sealing	Crack Bridging Damp Surfaces Concrete Protection Super Flexible Universal Waterproofing

PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Cembond M-945	Sealing Slurry Manual Screw Pump	Waterproof Coating Coating – Permeable Wall, Floor Sealing	Cembond Polymer Technology Sulphate Resistant In & Outside Permeable Excellent Durability Rigid
PRODUCT NAME	TECHNOLOGY	APPLICATION	BENEFIT
Cembond M-947 Flex	Flexible Sealing Slurry Manual Spray	Waterproof Coating Coating – Permeable Wall, Floor Sealing	Cembond Polymer Technology Sulphate Resistant In & Outside Permeable Excellent Durability Flexible

ARCAN GmbH  
 Kleinniedesheimer Str. 19  
 D-67240 Bobenheim-Roxheim  
 Germany


+49 6239 - 99 78 20


office@arcan.biz


arcan.biz

